



SERVICE LOGBOOK

Initial Service: 500 – 1000kms

1st Service: 5,000kms

Ongoing 10,000kms or 12 months intervals whichever comes first or as noted.

Dealers and National Repairers Network can be found Online: Millard.com.au

Date: Km: Service Agent:	Date: Km: Service Agent:	Date: Km: Service Agent:
Date: Km: Service Agent:	Date: Km: Service Agent:	Date: Km: Service Agent:
Date: Km: Service Agent:	Date: Km: Service Agent:	Date: Km: Service Agent:

Dealers and National Repairers Network Can be found Online: Millard.com.au

MILLARD CARAVANS SYDNEY
(Div. of QFlow Australia Pty Ltd)
3 Heald Rd, Ingleburn NSW 2565
P: 02 9829 2055 F: 02 9829 2455
E: info@millardrv.com.au

Version 1. 11/10/2021

<u>1st Inspection</u> Date: Km: Service Agent:	<u>2nd Inspection</u> Date: Km: Service Agent:	<u>3rd Inspection</u> Date: Km: Service Agent:
<u>4th Inspection</u> Date: Km: Service Agent:	<u>5th Inspection</u> Date: Km: Service Agent:	<u>6th Inspection</u> Date: Km: Service Agent:
<u>7th Inspection</u> Date: Km: Service Agent:	<u>8th Inspection</u> Date: Km: Service Agent:	<u>9th Inspection</u> Date: Km: Service Agent:

<u>10th Inspection</u>	<u>11th Inspection</u>	<u>12th Inspection</u>
Date:	Date:	Date:
Km	Km	Km
Service Agent:	Service Agent:	Service Agent:
.....
.....

Maintenance Notes:

<u>Component</u>	<u>Normal Road Use</u>	<u>Off Road Use</u>
Wheel Nuts	Each use or weekly if being used for periods exceeding 1 week	Each Use
Suspension Mounting Bolts	Every 12 months or 10000km	Every 6 months or 5000kms
Control arm mounting Bolts	Every 12 months or 10000km	Every 6 months or 5000kms
Brake Wire	Every 12 months or 10000km	Every 6 months or 5000kms (Each use if being used over rugged terrain)
Park Brake	Each use or weekly if being used for periods exceeding 1 week	Each Use
Tyres	Each use or weekly if being used for periods exceeding 1 week	Each Use
Control arm mounting bolts	Every 12 months or 10000km	Every 6 months or 5000kms
Wheel Alignment	Check for abnormal tyre wear and rectify as required. Align every 12 months or 10000km	Check for abnormal tyre wear and rectify as required. Align every 6 months or 5000km
Wheel Bearings	Every 12 months or 10000km	Every 6 months or 5000kms

Shock absorbers	Every 12 months or 10000km	Every 6 months or 5000kms
<u>Bump stops (independent suspension)</u>	Every 12 months or 10000km	Every 6 months or 5000kms
Grease points	Weekly when in use, otherwise every 12 months or 10000km	Daily when in use, otherwise every 6 months or 5000kms
Chassis	Every 12 months or 10000km	Every 6 months or 5000kms
Chassis Finish	Immediately following exposure to corrosive environment. Otherwise, every 12 months or 10000km	Immediately following exposure to corrosive environment, otherwise, every 6 months or 5000kms
Towing Coupling	Every 12 months or 10000km	Every 6 months or 5000kms
Safety Chains	Every 12 months or 10000km	Every 6 months or 5000kms

Off-Road use means use on rough roads, unmade roads and rugged terrain. Also includes hot dusty, flooded corrosive conditions.