



Your ticket to *freedom* since 1947

The Trusted name for 78 years



Couples Van Layouts



TX147CDOBEWDS

External Body Length: 4480mm Overal Height: 3200mm Overall External Length: 7180mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



TX176CD0BLL

Overall External Length: 8065mm End Coupling to Outer Spare Tyre

External Body Length: 5365mm Overal Height: 3200mm Overall Width: 2500mm



TX185RDQBDS

External Body Length: 5645mm Overal Height: 3200mm Overall External Length: 8045mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



TX149RD0BEWDS

External Body Length: 4530mm Overall External Length: 6930mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm



External Body Length: 5365mm Overall External Length: 8065mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm



TX183CDQBDS

External Body Length: 5595mm Overal Height: 3200mm Overall External Length: 8295mm End Coupling to Outer Spare Tyre

Overall Width: 2500mm



TX194RD0BDS

External Body Length: 5925mm Overall External Length: 8325mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm

External Body Length: 6945mm Overall External Length: 9845mm End Coupling to Outer Spare Tyre











2 - Millard Caravans



Table

OHC

TX192CDQBDS

TX178RD0BDS

End Coupling to Outer Spare Tyre

External Body Length: 5420mm


Overall External Length: 7820mm

External Body Length: 5875mm Overall External Length: 8575mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm

Overal Height: 3200mm

Overall Width: 2500mm



TX199CD0BSC

External Body Length: 6055mm Overall External Length: 8755mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm



TX2111RD0BRC


External Body Length: 6715mm Overall External Length: 9625mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm



TX228RD0BRC


Overal Height: 3200mm Overall Width: 2500mm



TX1911RDQBSC

External Body Length: 6105mm Overall External Length: 8505mm End Coupling to Outer Spare Tyre


Overal Height: 3200mm Overall Width: 2500mm



TX2111RDQBSC

External Body Length: 6715mm Overall External Length: 9625mm End Coupling to Outer Spare Tyre


Overal Height: 3200mm Overall Width: 2500mm



TX216CDQBSC

External Body Length: 6590mm Overall External Length: 9490mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm



TX226CDQBSC

External Body Length: 6895mm Overall External Length: 9805mm End Coupling to Outer Spare Tyre

Overal Height: 3200mm Overall Width: 2500mm



Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Door Position Reference	CD/ RD	CD / RD	CD / RD	CD / RD	CD / RD	CD	RD	RD	CD	RD
Seating Arrangement - Centre Door	Dinette	Side Club EW /L- Lounge	Dinette	Dinette	Side Club	Side Club			Side Club	NA
Seating Arrangement - Rear Door	Dinette	Dinette	Dinette	Dinette	side Club	NA	Rear Club	Side Club	NA	Rear Club
Other Seating Options	L-Lounge	L-Lounge RD Only	L-Lounge	L-Lounge	Dinette or L- Lounge	Dinette	Side Club or Dinette	Dinette	Dinette	NA
Captain Chairs	NA	17ft6 EW CD	Optional CD&RD	Optional CD&RD	NA	NA	Optional in Rear Club	NA	NA	Optional in Rear Club
Single Beds (seating change to Side Club)	NA	NA	Optional	Optional	Optional RD Only	NA	Optional in Rear Club	NA	NA	Optional in Rear Club
Dimensions										
External Body Length	4480mm (CD) / 4530mm (RD)	5365mm (CD) / 5420mm (RD)	5595mm (CD) / 5645mm (RD)	5875mm (CD) / 5925mm (RD)	6055mm (CD) / 6105mm (RD)	6590mm (CD)	6715mm (RD)	6715mm (RD)	6895mm (CD)	6945mm (RD)
External Length (End Coupling to Outer Spare Tyre)	7180mm(CD)	8065mm(CD)	8295mm(CD)	8575mm(CD)	8755mm(CD)	9490mm (CD)	9625mm (RD)	9625mm (RD)	9805mm (CD)	9845mm (RD)
External Length (End Coupling to Outer Bumper Bar : Underslung spare wheel)	6930mm(RD)	7820mm(RD)	8045mm(RD)	8325mm(RD)	8505mm(RD)					
External Height (Ground to Top of AC Unit)	3200mm	3200mm	3200mm	3200mm	3200mm	3200mm	3200mm	3200mm	3200mm	3200mm
External Width includes all protruding fixtures	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm
Internal Length	4335mm (CD) / 4385mm (RD)	5225mm(CD) / 5275mm (RD)	5475mm(CD) / 5525mm (RD)		5900mm (CD) / 5950mm (RD)	6425mm (CD)	6550mm (RD)	6550mm (RD)	6725mm (CD)	6825mm (RD)
Internal Height	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm
Internal Width	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm
ATM	3000kgs	3000kgs	3000kgs	3500kgs	3500kgs	3500kgs	4500kgs	4500kgs	4500kgs	4500kgs
Note : Indicative lengths are standard	configuration, an	y additional optio	ns or variations co	ould change these	figures					
Construction										
Alko Engineered Wheel Arch Designed Infill Truss Chassis - Galvanized	•	•	•	•	•	•	•		•	•
Options : SuperGal Painted Charcoal or Enduro Paint	0	0	0	0	0	0	0	0	0	0
Alko Chassis Construction:										
Extended Aframe (steel 6" x 2") C450	1800mm	1800mm	1800mm	1800mm	1800mm	1800mm	1800mm	1800mm	1800mm	1800mm
Truss Main Bearers Top: 75x50 Grade C350	•	•	•	•	•	•	•	•	•	•
Truss Main Bearers Bottom: 50x50x3mm Grade C350	•	•	•	•	•	•	•	•	•	•

4 - Millard Caravans

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RI
Construction										
Aluminium Wall Frame	•	•	•	•	•	•	•	٠	•	•
Full Piece Composite Roof : 5 Colour Options	•	•	•	•	•	•	•	•	•	•
22mm XPS Moisture Resistant Insulation between Aluminium Wall Frames	•	•	•	•	•	•	•	•	•	•
PolyHoney Comb Heavy Duty Flooring 38mm Plus Fibreglass skin	•	•	•	•	•	•	•	•	•	•
30mm One Piece XPS Insulated CNC Pre-Fabricated Roof	•	•	•	•	•	•	•	•	•	•
Aluminium Composite Panel : 5 Colour Options	•	•	•	•	•	•	•	•	•	•
Cruisemaster Single ATX 3.0T ATM Coil Suspension with 12" Elctric Brakes	•	•	•	NA	NA	NA	NA	NA	NA	NA
Cruisemaster Tandem XT 3.7T ATM Coil Suspension with 12" Elctric Brakes	NA	NA	NA	•	•	•	NA	NA	NA	NA
Cruisemaster Tandem XT 4.1T ATM Coil Suspension with 12" Elctric Brakes	NA	NA	NA	0	0	0	•	•	•	•
DO35 Coupling	•	•	•	•	•	•	NA	NA	NA	NA
DO45 V2 HitchMaster Coupling with Heavy Duty Chains	NA	NA	NA	0	0	0	•	•	•	•
Exterior										
265/75 R17 All Terrain Tyres on Silver/Black Rims Includes One Spare Wheel	•	•	•	•	•	•	•	•	•	•
Black Checker Plate approx 750mm on sides	•	•	•	•	•	•	•	•	•	•
Printed Decals Choice of 5 colours	•	•	•	•	•	•	•	•	•	٠
Picnic Table	•	•	•	•	•	•	•	•	•	•
External TV Box	NA	•	•	•	•	•	•	•	•	•
External Awning with Mid roller support	NA	•	•	•	•	•	•	•	•	•
Electric Awning	•	0	0	0	0	0	0	0	0	0
Double Manual Entry Step	•	•	•	•	•	•	•	•	•	•
Entry Door Grab Handle with Light	•	•	•	•	•	•	•	•	•	•
Galvanized Bumper Bar 3 ARM 45 DEG 46" STD	•	•	•	•	•	•	•	•	•	•
Spare Wheel (x1) and Holder at Rear on Bumper Bar	14ft7 (CD)	17ft6 (CD)	18ft3 (CD)	19ft2 (CD)	19ft9 (CD)	•	•	•	•	•

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Exterior										
Underslung Spare Wheel (at the Aframe)	14ft9 (RD)	17ft8 (RD)	18ft5 (RD)	19ft4 (RD)	19ft11 (RD)	0	0	0	0	0
Alko 8" Jockey Wheel	•	•	•	•	•	•	•	•	•	•
Full Width Tunnel Boot	•	•	•	•	•	•	•	•	•	•
Checker Plate Toolbox with Double Sliders and Opening Top Lid	•	•	•	•	•	•	•	•	•	•
Milenco Dust Reduction Antenna	•	•	•	٠	•	•	•	•	•	•
Jerry Cans x 2	•	•	•	•	•	•	•	•	•	•
Fusion Panel Speaker Outdoor plus Mounting Bracket, with SRX400 Marine Stereo	•	•	•	•	•	•	•		•	•
Safety Dave RVDash Kit (6" Dash + Mini Square Camera 92 Degree AHD Black)	NA	•	•	•	•	•	•		•	•
Wireless Reversing Camera	•	0	0	0	0	0	0	0	0	
Electrical										
Projecta / Intelli Grid - Compact 100 Consisting of:	•	•	•	•	•	•	•		•	•
3000W / 180 Amp Inverter/AC Charger	•	•	•	•	•	•	•		•	•
40Amp DC_DC Charger	•	•	•	٠	•	•	•		•	•
40Amp Solar Charger x 2	•	•	•	•	•	•	•		•	•
7 Inch Colour Screem	•	•	•	•	•	•	•		•	•
3 Water Tank Monitoring Sensors	•	•	•	•	•	•	•		•	•
400AH Projecta HD Lithium Battery Internal 500A Shunt (installed internally)	•	•	•	•	•	•	•	•	•	•
Number of Solar Panels - (200watts each/ model dependant)	X 2 Only	Х3	X3	X4	X4	X4	X4	X4	X4	X4
Anderson Plug - DCtoDC Battery Charging	•	•	•	•	•	•	•	•	•	•
Additional Anderson Plug - Portable Solar Panel	•	•	•	•	•	•	•	•	•	•
Dexter Anti Sway System (DSC)	•	•	•	•	•	•	•	•	•	•
Milenco Dust Reduction Antenna	•	•	•	•	•	•	•	•	•	•
Starlink Ready: 12V Starlink Cosmo (for Starlink Gen 3)	•	•	•	•	•	•	•	•	•	•
Fusion Radio Apollo 770 Stereo System Plus Fusion Corner Speakers (2 Bedroom and 2 Seating Area)	•	•	•	•	•	•	•	•	•	•


Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Electrical										
Dimmerable Downlights with soft LED strip light in Ensuite.	•	•	•	•	•	•	•	•	•	•
Soft LED strip Lights at : Main Bed Side Tables, Under the Kitchen OHC and Ensuite Cabinetry	•	•	•	•	•	•	•	•	•	•
Multi Colour Annex Light - Door Side	x2	x2	x2	x3	x3	x3	x3	x3	x3	х3
Multi Colour Annex Light - Driver Side	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1
External Power Point at Picnic Table	•	•	•	•	•	•	•	•	•	•
Reversing Camera	NA	•	•	•	•	•	•	•	•	•
Wireless Reversing Camera	•	0	0	0	0	0	0	0	0	0
24" Smart TV (van size : 14ft7-18ft5)	•	•	•	NA	NA	NA	NA	NA	NA	NA
27" Smart TV(Van size > 19ft2)	NA	NA	NA	•	•	•	•	•	•	•
Tunnel Boot lighting at lockable doors , both sides	•	•	•	•	•	•	•	•	•	•
240V Single Power point,12V Socket,USB port in Bedside Nook	•	•	•	•	•	•	•	•	•	•
Double Power Points : Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•	•	•	•	•	•	•
Reading Lights : Bedroom x2 , Living x 2	•	•	•	•	•	•	•	•	•	•
External TV Box : 240V Single Power Point, CIG 12V / Antenna Point Plus Fusion SRX400 Stereo and External Panel Speaker	NA	•	•	•	•	•	•	•	•	•
Built in Phone Chargers	•	•	•	•	•	•	•	•	•	•
Plumbing										
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•	•	•	•	•	•	•	•
Three Water Tank Sensors	•	•	•	•	•	•	•	•	•	•
External Mounted Water Pump Jnder chassis	•	•	•	•	•	•	•	•	•	•
Fresh Water Tanks : 2 x95 Litres	•	•	•	•	•	•	•	•	•	•
Grey Water Tank : 1 x 110 Litres	•	•	•	•	•	•	•	•	•	•
External Shower	•	•	•	•	•	•	•	•	•	•
Mains Tap to A Frame & Mains Pressure	•	•	•	•	•	•	•	•	•	•
Two 9kg Gas Bottles Stored Internally within the Toolbox	•	•	•	•	•	•	•	•	•	•
External Gas Bayonet Fitting	•	•	•	•	•	•	•	•	•	•

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Plumbing		171to (KD)								
Gas and Electric Hot Water System	•	•	•	•	•	•	•	•	•	•
Global Eberspacher Diesel Heater (2.2KW)	•	•	•	•	•	•	•	•	•	•
Non Return Valve on the Shower, Vanity Bowl and Kitchen Sink	•	•	•	•	•	•	•	•	•	•
Protection over PVC Drainage Piped	•	•	•	•	•	•	•	•	•	•
Thetford C263CS Ceramic Toilet	14ft7 (CD)	•	•	•	•	•	NA	•	•	NA
Thetford C402-C Left/Right Hand Toilet	14ft9 (RD)	NA	NA	NA	NA	NA	•	NA	NA	•
Ensuite / Bathroom										
Separate Shower & Toilet	•	•	•	•	•	•	•	•	•	•
Fully Moulded One Piece Large Shower Cubicle	•	•	•	•	•	•	•	•	•	•
Sliding or Hinged Door at Ensuite Entrance (Model Dependent)	•	•	•	•	•	•	•	•	•	•
Ceramic Swivel Toilet or C402 Toilet (Model dependent)	•	•	•	•	•	•	•	•	•	•
Mixer Taps Basin , Shower	•	•	•	•	•	•	•	•	•	•
Single Internal Towel Rail	•	•	•	•	•	•	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•	•	•	•	•	•	•
Bathroom Window Above Toilet	•	•	•	•	•	•	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	NA	•	•	•	•	•	•	•	•	•
Exclusive Vanity Mirror with builtin LED Lighting	NA	•	•	•	•	•	NA	NA	•	NA
Wrapped Around OHC over Vanity and Toilet	NA	•	•	•	•	•	NA	NA	•	NA
Kitchen										
Recessed Thetford K1520 Combination Cooker -Dual Fuel W/Fan Forced Oven	•	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•	•
Three way Filter Tap	•	•	•	•	•	•	•	•	•	•
Qflow 23Litre Microwave Oven	•	•	•	•	•	•	•	•	•	•
Dometic 180 Litre RUC Compressor Fridge 6408 X (Van Size 14ft7-19ft4)	•	•	•	•	NA	NA	NA	NA	NA	NA
Dometic 216 Litre RUC Compressor 8408 X (van > 19ft9)	NA	NA	NA	NA	•	•	•	•	•	•
Slimline RangeHood	•	•	•	•	•	•	•	•	•	•
My Coolman 3.2KW Reverse Cycle Air Conditioner	•	•	•	•	•	•	•	•	•	•

8 - Millard Caravans

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Living Seating Area										
Padding Over Entry Door and Roof Mounted LED	•	•	•	•	•	•	•	•	•	•
Exclusive Designed Seating with side Leg Support	•	•	•	•	•	•	•	•	•	•
Heavy Duty Vinyl Flooring available in 4 colours	•	•	•	•	•	•	•	•	•	•
Exclusive designed Map/ Magazine and Key holder	•	•	•	•	•	•	•	•	•	•
Tic Cushion supplied with Telescopic table base	NA	• 17ft6 CD	NA	NA	• 19ft11	•	•	•	•	•
Bedroom										
Exclusive Designed Full Size Bedhead	•	•	•	•	•	•	•	•	•	•
Pillow Top Spring Mattress on Slatted Bed Base	•	•	•	•	•	•	•	•	•	•
Roof Hatch with Lights	•	•	•	•	•	•	•	•	•	•
Wardrobe with Bedside Nook and Bottom Drawers	•	•	•	•	•	•	•	•	•	•
Side Tables with Soft LED lighting	•	•	•	•	•	•	•	•	•	•
Built In Phone Charger	•	•	•	•	•	•	•	•	•	•
Cabinetry										
CNC Cabintery through out the Entire Van	•	•	•	•	•	•	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•	•
Gas Door Struts on Overhead Cupdoors	•	•	•	•	•	•	•	•	•	•
Cutlery Drawer Insert	•	•	•	•	•	•	•	•	•	•
Safety										
Breakaway Safety System	•	•	•	•	•	•	•	•	•	•
Fire Extinguisher	•	•	•	•	•	•	•	•	•	•
Smoke Alarm	•	•	•	•	•	•	•	•	•	•
Gas Detector										
Door - External 4 Pin lock with Security Screen	•	•	•	•	•	•	•	•	•	•
Dexter Anti Sway Control System (DSC)	•	•	•	•	•	•	•	•	•	•

Family Van Layouts



TX1911CDQBEWSCSB

External Body Length: 6105mm Overal Height: 3200mm Overall External Length: 8850mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



TX216CDQBLLSB


External Body Length: 6590mm Overal Height: 3200mm Overall External Length: 9340mm End Coupling to Outer Spare Tyre

Overall Width: 2500mm



TX226CDQBSCSB

External Body Length: 6895mm Overal Height: 3200mm Overall External Length: 9655mm Overall Width: 2500mm End Coupling to Outer Spare Tyre



TX2210CDQBSCRB

Overall External Length: 9745mm Overall Width: 2500mm End Coupling to Outer Spare Tyre

External Body Length: 6995mm Overal Height: 3200mm

Dim Exte Exte Exte Exte Inte

ATN

Note Con Alko

Op Alk

E Т Alι

Full 22n Poly 30n Alun Cru Cru DO3

Specifications

Aodel	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Door Position Reference	CD	CD	CD	CD
itandard Seating Arrangement - Centre Door	Side Club	L-Lounge	Side Club	Side Club
Other Seating Options	Dinette or L-Lounge	NA	Dinette or L-Lounge	Dinette or L-Lounge
Dimensions				
External Body Length	6105mm (CD)	6590mm (CD)	6895mm (CD)	6995mm (CD)
external Length (End Coupling to Outer Spare Tyre)	8850mm(CD)	9340mm(CD)	9655mm(CD)	9745mm(CD)
external Height (Ground to Top AC Unit)	3200mm	3200mm	3200mm	3200mm
external Width includes all protruding fixtures	2500mm	2500mm	2500mm	2500mm
nternal Length	5950mm (CD)	6425mm (CD)	6725mm (CD)	6825mm (CD)
nternal Height	2010mm	2010mm	2010mm	2010mm
nternal Width	2285mm	2285mm	2285mm	2285mm
TM	3500kgs	3500kgs	4500kgs	4500kgs
ote : Indicative lengths are standard configuration, any additional options or variations o	could change these figures			
Construction				
Nko Engineered Truss - Wheel Arch Chassis - Galvanized	•	•	•	•
Options : SuperGal Painted Charcoa or Enduro Paint	0	0	0	0
Iko Chassis Construction:				
Extended Aframe (steel 6" x 2") C450	1800mm	1800mm	1800mm	1800mm
Truss Main Bearers Top: 75x50 Grade C350	•	•	•	•
Truss Main Bearers Bottom: 50x50x3mm Grade C350	•	•	•	•
Aluminium Wall Frame	•	•	•	•
ull Piece Composite Roof : 5 Colour Options	•	•	•	•
2mm XPS Mositure Resistant Insulation between Aluminim Wall Frames	•	•	•	•
PolyHoney Comb Heavy Duty Flooring	•	•	•	•
0mm One Piece XPS Insulated CNC Pre-Fabricated Roof	•	•	•	•
Numinium Composite Panel : 5 Colour Options	•	•	•	•
ruisemaster Tandem XT 3.7T ATM Coil Suspension with 12" Elctric Brakes	•	•	NA	NA
ruisemaster Tandem XT 4.5T ATM Coil Suspension with 12" Elctric Brakes	0	0	•	•
DO35 Coupling	•	•	NA	NA
0045 V2 HitchMaster Coupling with Heavy Duty Chains	0	0	•	•

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Exterior				
265/75 R17 All Terrain Tyres on Silver/Black Rims Includes One Spare Wheel	•	•	•	•
Black Checker Plate , approx 750mm on sides	•	•	•	•
Printed Decals Choice of 5 colours	•	•	•	•
Picnic Table	•	•	•	•
External TV Box	•	•	•	•
External Awning with Mid roller support	•	•	•	•
Electric Awning	0	0	0	0
Double Manual Entry Step	•	•	•	•
Entry Door Grab Handle with Light	•	•	•	•
Galvanized Bumper Bar 3 ARM 45 DEG 46" STD	•	•	•	•
Alko 8" Jockey Wheel	•	•	•	•
Full Width Tunnel Boot	•	•	•	•
Checker Plate Toolbox with Double Sliders and Opening Top Lid	•	•	•	•
Milenco Dust Reduction Antenna	•	•	•	•
Jerry Cans x 2	•	•	•	•
Fusion Panel Speaker Outdoor plus Mounting Bracket, with SRX400 Marine Stereo	•	•	•	•
Safety Dave RVDash Kit (6" Dash + Mini Square Camera 92 Degree AHD Black)	•	•	•	•
Electrical				
Projecta / Intelli Grid - Compact 100 Consisting of :	•	•	•	•
3000W / 180 Amp Inverter/AC Charger	•	•	•	•
40Amp DC_DC Charger	•	•	•	•
40Amp Solar Charger x 2	•	•	•	•
7 Inch Colour Screem	•	•	•	•
3 Water Tank Monitoring Sensors	•	•	•	•
400AH Projecta HD Lithium Battery Internal 500A Shunt (installed internally)	•	•	•	•
Number of Solar Panels - (200watts each/ model dependant)	X4	X4	Х4	Х4
Anderson Plug - DCtoDC Battery Charging	•	•	•	•
Additional Anderson Plug - Portable Solar Panel	•	•	•	•
Dexter Anti Sway System (DSC)	•	•	•	•
Milenco Dust Reduction Antenna	•	•	•	•
Starlink Ready: 12V Starlink Cosmo (for Starlink Gen 3)	•	•	•	•
Fusion Radio Apollo 770 Stereo System Plus Fusion Corner Speakers (2 Bedroom and 2 Seating Area)	•	•	•	•
Dimmerable Downlights with soft LED strip light in Ensuite.	•	•	•	•
Soft LED strip Lights at : Main Bed Side Tables, Under the Kitchen OHC and Ensuite Cabinetry (Under OHC and KickBoard)	•	•	•	•

Mo Ele Μu M Wi 27" Tu 240 Do Re

Plue Mul Thr Exte Free Gre Exte Mai Two Exte Gas Glol Non Prot The

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Electrical				
Multi Colour Annex Light - Door Side	x3	x3	x3	x3
Multi Colour Annex Light - Driver Side	x1	x1	x1	x1
External Power Point at Picnic Table	•	•	•	•
Reversing Camera	•	•	•	•
Wireless Reversing Camera	0	0	0	0
27" Smart TV (Van size > 19ft2)	•	•	•	•
Tunnel Boot lighting at lockable doors , both sides	•	•	•	•
240V Single Power point, 12V Socket, USB port in Bedside Nook	•	•	•	•
Double Power Points : Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•
Reading Lights : Bedroom x2 , Living x 2	•	•	•	•
External TV Box : 240V Single Power Point, CIG 12V / Antenna Point Plus Fusion SRX400 Stereo and External Panel Speaker	•	•	•	•
Built in Phone Chargers	•	•	•	•

lumbing				
Julti Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•	•
hree Water Tank Sensors	•	•	•	•
xternal Mounted Water Pump Under chassis	•	•	•	•
resh Water Tanks : 2 x95 Litres	•	•	•	•
Grey Water Tank : 1 x 110 litres	•	•	•	•
External Shower	•	•	•	•
<i>l</i> ains Tap to A Frame & Mains Pressure	•	•	•	•
wo 9kg Gas Bottles Stored Internally within the Toolbox	•	•	•	•
external Gas Bayonet Fitting	•	•	•	•
Gas and Electric Hot Water System	•	•	•	•
Global Eberspacher Diesel Heater (2.2KW)	•	•	•	•
Non Return Valve on the Shower, Vanity Bowl and Kitchen Sink	•	•	•	•
Protection over PVC Drainage Pipes	•	•	•	•
hetford C263CS Ceramic Toilet	NA	NA	NA	•
hetford C402-C Left / Right Hand Toilet	•	•	•	NA

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Ensuite / Bathroom				
Separate Shower & Toilet	•	•	•	•
Fully Moulded One Piece Large Shower Cubicle	•	•	•	•
Sliding or Hinged Door at Ensuite Entrance (Model Dependent)	•	•	•	•
Ceramic Swivel Toilet or C402 Toilet (Model dependent)	•	•	•	•
Mixer taps Basin , Shower	•	•	•	•
Single Internal Towel Rail	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•
Bathroom Window Above Toilet	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	•	•	•	•
1/2 halfana				
Kitchen Recessed Thetford K1520 Combination Cooker -Dual Fuel W/Fan Forced Oven		•	•	
White Aluminium Kitchen Splashback	•	•	•	•
Three way Filter Tap	•	•	•	•
Qflow 23Litre Microwave Oven	•	•	•	
Dometic 216 Litre RUC Compressor 8408 X (van > 19ft9)		•		
Slimline RangeHood	•	•	•	•
My Coolman 3.2KW Reverse Cycle Air Conditioner	•	•		
	·	·	•	-
Living Seating Area				
Padding Over Entry Door and Roof Mounted LED	•	•	•	•
Exclusive Designed Seating with side Leg Support	•	•	•	•
Heavy Duty Vinyl Flooring available in 4 colours	•	•	•	•
Exclusive designed Map/ Magazine and Key holder	•	•	•	•
Tic Cushion supplied with Telescopic table base	•	•	•	•
Bedroom				
Exclusive Designed Full Size Bedhead	•	•	•	•
Pillow Top Spring Mattress on Slatted Bed Base	•	•	•	•
Roof Hatch with Lights	•	•	•	•
Wardrobe with Bedside Nook and Bottom Drawers	•	•	•	•
Side Tables with Soft LED lighting	•	•	•	•
Built In Phone Charger	•	•	•	•
0.	-			-

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Bunk Beds				
Double or Triple Bunks	•	•	•	•
Bed Length	1850mm	1850mm	1850mm	2285mm
Padded Side Support and Ladder	•	•	•	•
240V Single Power point, USB port in Bedside Nook	•	•	•	•
Reading Lights per Bunk	•	•	•	•
Cabinetry				
CNC Cabintery through out the Entire Van	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•
Gas Door Struts on Overhead Cupdoors	•	•	•	•
Cutlrey Door Insert	•	•	•	•
Safety				
Breakaway Safety System	•	•	•	•
Fire Extinguisher	•	•	•	•
Smoke Alarm	•	•	•	•
Gas Detector	•	•	•	•
Door - External 4 Pin lock with Security Screen	•	•	•	•
Dexter Anti Sway Control System (DSC)	•	•	•	•
Accessories				
Exclusive Millard BackPack	•	•	•	•
Exclusive Millard Umbrella	•	•	•	•
Exclusive Millard Pen set	•	•	•	•
Exclusive Key Ring	•	•	•	•
Exclusive Millard BaseBall Cap	•	•	•	•



Unit 1/36-42 Orange Grove Road, Warwick Farm NSW 2170

02 9829 2055

info@millardrv.com.au

millardcaravans.com.au

@millardcaravans 🚯 💿 in 🕞 🗸

